
MODERN STEEL

garage doors



America's Favorite Garage Doors®






MODERN STEEL*

Whether it's a modern makeover or a retro redo, our Modern Steel garage doors come in many low-maintenance styles to boost your home's curb appeal. Let your creativity flow as you design a door with or without grooves, add square, rectangular or contemporary slim windows in a unique layout, or keep it sleek with a solid flush panel motif. All are available in multiple paint colors, as well as Ultra-Grain wood-look and Lustra matte finishes to match the look for your home.

MODEL AVAILABILITY



												-										
DOO	∴ 3-LAYER												LAYE	R	1-LA	YER						
Door design examples shown at 9' wide × 8' high Available window options listed below model number (See back cover for examples of window options) TEXTURE							Polyu	2" Irethane		1-3/8" Polyurethane			2" Bonded Polystyrene			1-3/8" Bonded Polystyrene		1-5/16" Polystyrene			Non-Insulated	
MODERN FLUSH				TEXTORE		18.4 R-value			12.9 R-value			9.0 R-value		_	6.5 R-value		6.3 R-value		е			
MC	Door constructed using 24", 21" and 18" section heights																					
								202		9	132			302		413						
Oalid	14/:				Ma a dau	-1-		emporary ndows			mporai ndows	ry	Conte Wii	emporary ndows	′	Contemp Windo	orary ws					
Solid			ections	_	Woodgr	alli			_	_				, .	01"	1.40"						
MODERN FLUSH										De	oor co	onstruct	ucted using 21" and 18" section he									
								201			131			301		405	51		T42F Gauge Stee	el)	T40	:
Solid	W	indow S	Sections		Woodgr	ain	and D	emporary ecorative ndows		and D	emporai ecorati ndows		and D	emporary ecorative ndows		Decora Windo			ecorative /indows		(24 Gauge Decora Windo	ative
MODERN FLUSH											Doo	r cons	structed	lusing 2	sing 24", 21" and 18" section				s			
							9	208		9	138		4	308		413	8					
Solid	Conte	mporar	y Windo	ows	Stucci	O*†	an	emporary d Slim ndows		Conte Wii	mporai ndows	ry	an	emporary d Slim ndows		Contemp Windo						
MODERN GROOVED											Doo	or constructed using 24", 21'				and 18	" section	height	's			
									П													
							9	205					4	305								
						Contemporary Windows						Contemporary Windows										
	Solid Window Sections MODERN GROOVED				Stucco)*	Willdows															
MOL	DERN	GRO	OVE)							Do	oor co	onstruct	ed usin	g 24" a.	nd 21" s	ection h	eights				
						9209			9139			4										
							Conte	emporary					Conte	emporary	,							
Solid	Conte	mporai	y Windo	ows	Stucco	D*†		d Ślim ndows		Conte Wii	mporai ndows	ry		d Ślim ndows								
	Standard	D :				Mocha	Huntor				1	Lustra'	Ultra-Grain	□ Ultra-Grain	® Ultra-Gra	in® Ultra-Gra	ultra-Gra	n® Ultra-Gra	in [®] Ultra-Grain	Ultra-Gra	in® Ultra-Grain Plank	Ultra-Grain®
COLOR AVAILABILITY	White 4	Imond De	Sandto an	ne Bronze		Brown	Green Gra	y Charcoal	Black	Lustra* Black	Lustra* Charcoal		Cypress Medium	Cypress Cherry	Cypres Walnu		Plank Coasta Gray	I Plank Natura	Plank I Cedar	Plank Kona		Ultra-Grain® Plank Espresso
9202, 9205	•				•		-	•	-				•	•		-						
9208 9209				-	•						-						•	•	•		_	•
9201				-	-	•			-		_		_	_	_	_						
9132, 9138, 9139																-						
9131					•																	
4302, 4305, 4308, 4309	-				-	-	-	-					-			-						
4301						•																
4132	•		•	•	•	•	•	•	-				•	•	-	-						
4051 4138					•	-																
T42F, T40F				_	-	_		-	-				_	-	_	_						
4F	•				-																	
								440 =														

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4. *Exterior steel surface on Ultra-Grain® Cypress finish door has a woodgrain texture.
†Exterior steel surface on a Lustra* finish door has a subtle matte texture on a smooth flush panel.

STANDARD COLORS



- Exterior steel surface on standard color doors has either a stucco or woodgrain embossed texture depending on the model (see chart on page 3 for details).
- Doors can be painted using a high-quality latex exterior paint. Do not use oil-based paint.

*Additional charges apply.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcolorsamples.

Not all colors available on all models. See previous page for availablity.

ULTRA-GRAIN® FINISH









Cypress Communication Communic

Cypress Cherry

Cypress Walnut

Cypress Slate

- Low maintenance, stained wood-look steel door with less upkeep.
- Exterior steel surface has an embossed woodgrain texture with horizontal Cypress Ultra-Grain.
- Window frames, grilles and inserts are painted a solid color to complement Ultra-Grain[®] finishes.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcolorsamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.

CUSTOM PAINT OPTION



Choose from over 1,500 Sherwin-Williams® paint colors to complement your home with Clopay's Color Blast® factory-finishing option. Our durable two-part paint system is tested and backed by a five-year warranty.

LUSTRA™ FINISH







Black

Charcoal

Silver

Prefer a different look than an embossed woodgrain or stucco steel surface texture? Lustra™ is a low-gloss matte finish available in Black, Charcoal and Silver. Paired with contemporary slim windows or as a solid door, it's easy to create an eye-catching facade that's both energy efficient and durable.

- Door features 24 gauge flush panel steel exterior.
- Window frames, grilles and inserts are painted a solid color to complement Lustra finishes.
- Due to the unique matte finish texture,
 Lustra™ doors cannot be painted a different color.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcolorsamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.

ULTRA-GRAIN® PLANK



Barnwood

Espresso

Rustic meets modern on this unique flush panel steel door design featuring digitally printed horizontal planks with a wood-look appearance. The planks vary in length with no repeating grain pattern and a nice tonal variation for visual interest.

- Complements mid-century, farmhouse, coastal cottage and transitional home styles.
- Steel surface has an embossed stucco texture.
- Window frames are painted a solid color to complement Ultra-Grain® finishes or come in contrasting Silver and Black accent colors.

Due to the printing process, colors may vary.

Order free color samples at www.clopaydoor.com/requestcolorsamples.

Not all colors available on all models. See previous page for availability.

Additional charges apply.



HIGH R-VALUES

Delivering high R-values, our proprietary Intellicore® polyurethane foam insulated doors are stronger, quieter and save on energy use year-round. Your garage will feel 10 - 20 degrees warmer in the winter and cooler in the summer.





NOISE LEVEL

operating noise

ENERGY EFFICIENCY Provides year-round

comfort

THERMAL BREAK

Separates steel skins to improve energy efficiency

20.4 R-VALUE Highest R-value in its class

DURABILITY Enhanced strength reduces dents

RUST PREVENTION

Layered coating system helps protect steel finish

Dense insulation reduces

ADDITIONAL FEATURES

- Tongue-and-groove section joints keep out wind, rain and snow.
- Replaceable vinvl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 2" thick polystyrene and all Intellicore® insulated doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Durable, color-matched exterior step plate/lift handles allow for safe and convenient opening and closing.
- Window grilles are removable for easy cleaning.
- Built-in WindCode® door reinforcement available for high wind load applications.

Refer to your door's Care and Maintenance Manual for additional information.

RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

WARRANTIES






HARDWARE LIMITED 3YR WARRANT

ENVIRONMENTAL ASSURANCE

All Clopay doors are compliant with environmental laws and regulations and do not contain HFCs:

- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations
- 2" thick polystyrene doors and all Intellicore® insulation doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft2 or less (IECC, Section C402.5.2).

^{*}Thermal break is not present on 4051, 2-layer and 1-layer models.



POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

Modern Steel doors can be designed with short, long or contemporary slim windows in many configurations including vertically stacked down one side of the door, stacked on both sides of the door, and placed in all sections. The window placement must be the same in every panel on doors with multiple window sections.

When configuring contemporary window placement, please refer to the examples provided to indicate the desired location. The illustrations show windows and solid sections from the outside of the garage. The ordering codes listed beneath are


from the inside of the garage looking out

as described below.

SOL=Solid (no window) location GL=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

Example: Windows down right side (from inside garage looking out)






LONG WINDOW

CONFIGURATIONS

(Viewed from outside)




View from Outside Garage

SLIM WINDOW

CONFIGURATIONS (Viewed from outside)


SHORT WINDOW CONFIGURATIONS (Viewed from outside)



SOL-SOL-SOL-SOL-SOL-GL-GL Sections: 1, 2, 3, 4




SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4



SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4


GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL Sections: 1, 2, 3, 4




GL-SOL Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4




GL-SOL Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4



GL-SOL-SOL-GL





GL-GL Sections: 3, 4



GL-GL-GL-GL




GL-GL Sections: 3, 4




GL-GL-GL-GL



GL-GL-GL-GL Sections: 1, 2, 3, 4



GL-GL Sections: 1, 2, 3, 4



GL-GL Sections: 1, 2, 3, 4

GL-GL-GL-GL Sections: 1, 2, 3, 4

Window configurations shown above apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors use 24" and 21" section heights, allowing for these configurations.

Tempered glass options include: Clear, Obscure, Narrow Reed, Frosted.

Slim window designs are only available with clear tempered or frosted tempered insulated glass.





Obscure





Clear

Narrow Reed


Frosted

WINDOW OPTIONS

Windows bring natural light into the garage and enhance your home's curb appeal. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.


CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS -

These windows feature a larger viewing area and are available on select models and door heights. Short windows are 19-1/2" × 16"; long windows are 42" × 16".




CONTEMPORARY SLIM WINDOWS

Contemporary Slim windows have Mid-Century Modern appeal. The windows are 37" × 8" with aluminum frames powder coated in Silver or Black.




DECORATIVE INSERT SERIES WINDOWS

UV-protected cellular plastic inserts snap into the inside or outside of the window frame for easy cleaning or to change designs. Windows are available in single strength, double strength, acrylic, obscure or insulated glass. Short windows are $19-1/2" \times 12"$; long windows are $40-1/2" \times 12"$.



Choose from single pane or insulated glass. Clear acrylic is also available.





Acrylic windows require special cleaning. See care and maintenance manual.

Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for



more information on Clopay, America's Favorite Garage Doors. Follow us on



















954.946.5555 561.736.5506 772.212.2481 **BROTEN.COM** CGC1514103

©2024 Clopay Corporation. All rights reserved

RSDR-MODERNSTEELSS-15_REV0524