
CANYON RIDGE®

Clopay°


America's Favorite Garage Doors®

garage doors

CARRIAGE HOUSE • CHEVRON • LOUVER • MODERN • ELEMENTS









CANYON RIDGE® Carriage House

5-LAYER CONSTRUCTION

Canyon Ridge® Carriage House 5-Layer garage doors capture the charm of old-world carriage style doors in a durable, moisture-resistant construction. Composite overlays give you a low-maintenance wood alternative that looks and feels like the real thing, and the peace of mind that comes from having a superior insulated steel core construction. Choose from two species: Clear Cypress or Mahogany, and a variety of paint and stain colors to create a custom look. The result is a stunning carriage house door you will enjoy for years to come.



- COMPOSITE OVERLAY
- COMPOSITE CLADDING
- STEEL
- "INTELLICORE® POLYURETHANE INSULATION
- 5 STEEL





- 5-layer composite faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS





Design 11







SERIES 3







Design 31

Design 32

Design 33

Design 34

SERIES 2







Design 01 does not have overlays.







Design 35

Design 36

Design 37

Design 38

MATERIAL DESIGN **OPTIONS**

CLADDING



Clear Cypress (C)





Mahogany (M)













painting or staining. Walnut Finish

Door stain color may vary due to finishing process. *Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Two-tone

Doors can be ordered primed for custom field

doors are available.

To see all options go to ezdoor.clopay.com.

OVERLAY



may be mixed and matched.



Clear Cypress (C) Mahogany (M) Composite cladding and overlay material options

COLORS





Slate

Finish

Black

Finish'






Finish*

White

Finish





Finish*

Primed


(No Finish)



Espresso **F**inish

Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/ requestcolorsamples.

WINDOWS/TOP SECTIONS



Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2". Additional designs, windows and top sections available.



SQ24



CANYON RIDGE® Chevron

Love the Chevron trend? This eye-catching geometric pattern has been a favorite in textiles and flooring and is now available in a low-maintenance composite material that looks and feels like real wood. Choose from four distinct patterns to bring timeless appeal to your home. These moisture-resistant doors won't rot, warp or crack and can be painted or stained for jaw-dropping good looks that last.



- COMPOSITE OVERLAY
- COMPOSITE CLADDING
- STEEL
- "INTELLICORE® **POLYURETHANE** INSULATION
- 5 STEEL





- 5-layer chevron pattern composite faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS

SERIES 1



Design 11V



Design 12V







SERIES 3





Design 33V







CLADDING DESIGN OPTIONS









MATERIAL DESIGN **OPTIONS**

CLADDING





Mahogany (M)

Clear Cypress (C) **OVERLAY**



may be mixed and matched.





Clear Cypress (C) Composite cladding and overlay material options

COLORS





Slate

Finish

Black

Finish*



Finish

Bronze

Finish³

White

Finish'



Finish

Charcoal

Finish³

Primed

(No Finish)





Finish

Finish

Espresso


primed for custom field painting or staining. Door stain color may vary due to finishing process.

Doors can be ordered

*Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Two-tone doors are available. To see all options go to ezdoor.clopay.com.

Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/ requestcolorsamples.

WINDOWS/TOP SECTIONS




TOP11




TOP12

REC13



TOP13





ARCH1 (Solid)





Windows not available on Designs 31, 32, 33, 36, 37. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".



CANYON RIDGE® Louver

If you use more than one adjective to describe your home's style, we have the perfect transitional garage door for you. Versatile and unique, plantation style Canyon Ridge® Louver doors are a perfect complement to coastal cottages and colonial homes. They can also be a standout piece on traditional exteriors or modern farmhouses. Whatever your style, these doors add "wow" factor to your home. As with all Canyon Ridge doors, they are constructed with a durable, insulated steel core topped with horizontal faux-wood composite "slats". The result is a low-maintenance door with dimension and flair.



- COMPOSITE OVERLAY
- COMPOSITE CLADDING
- STEEL
- 2" INTELLICORE® **POLYURETHANE** INSULATION
- STEEL






- 4 or 5-layer faux-wood louver doors with Intellicore® polyurethane insulation. R-values from 18.4 to 20.4.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS

















SERIES 5

Design 51





Design 52







MATERIAL DESIGN OPTIONS **COLORS**

CLADDING/STEEL BASE









Ultra-Grain® Finish

OVERLAY



Clear Cypress (C)





Black

Finish*

Slate

Finish

Natural

Finish



Medium

Finish



Dark

Finish






Finish

Espresso

Finish



*Bronze, Charcoal, Black and White Finish available only on Mahogany overlays. Two-tone doors are available.

To see all options go to: ezdoor.clopay.com.

Steel surfaces have woodgrain texture. Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/ requestcolorsamples.



Mahogany (M)

Note: Composite cladding and overlay material options may be mixed and matched.





White Finish*




Primed (No Finish)

WINDOWS/TOP SECTIONS





Windows available only on Louver Design 52. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2". Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2".



CANYON RIDGE® Carriage House

4-LAYER CONSTRUCTION

Another beautiful, low-maintenance alternative to real wood is the Canyon Ridge® Carriage House 4-Layer faux-wood garage door. Similar in style and construction to its 5-Layer counterpart, it also has an energy-efficient Intellicore® polyurethane insulated steel core topped with Clear Cypress composite overlays to create a carriage house design. The 4-Layer door has fully visible steel panels that can be finished in Ultra-Grain® for a stained wood-look or painted a solid color to match your home.




- COMPOSITE OVERLAY
- STEEL WITH ULTRA-GRAIN® FINISH (SHOWN) OR SOLÌD COLOR STEEL
- 2" INTELLICORE® POLYURETHANE INSULATION
- STEEL


- 4-layer, steel and composite overlay doors with Intellicore® polyurethane insulation. 18.4 R-value.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS



Design 12











Design 33 Design 34

SERIES 2





Design 22

MATERIAL DESIGN OPTIONS





Design 35

COLORS







STEEL BASE



Ultra-Grain® Finish Clear Cypress or Solid Color Steel (N)

Composite cladding is not present on Carriage House 4-Laver doors.

OVERLAY-



Clear Cypress (C)



Mahogany (M)









Finish*

Dark



*Bronze, Charcoal, Black and White Finish available only on Mahogany overlays.

Walnut

Finish

Two-tone doors are available. To see all options go to: ezdoor.clopav.com.

Steel surfaces have woodgrain texture. Due to the printing process, colors may vary. Order free color samples at clopaydoor.com/

Doors can be ordered primed

for custom field painting Note: Primed solid steel base is brown. Overlay stain color may vary due to finishing process.

WARRANTIES











Finish*

Slate

Finish

Black




Finish*

White Primed Finish* (No Finish)

requestcolorsamples.

WINDOWS/TOP SECTIONS



Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".

SQ24

ARCH4



CANYON RIDGE® Modern

Statement-making and sophisticated, our Canyon Ridge® Modern faux-wood garage doors combine realistic wood textures with key elements of contemporary architecture: clean, horizontal lines with mid-century appeal, sleek windows and metallic accents. The doors are constructed in a durable, low-maintenance composite material that resists rot and weathering. An energy-efficient, polyurethane foam insulated steel core provides year-round comfort. Choose from three designs in Clear Cypress or Mahogany faux-wood cladding that can be painted or stained.



- COMPOSITE OVERLAY
- STEEL
- 2" INTELLICORE® POLYURETHANE INSULATION
- 4 STEEL

DOOR DESIGNS










6" Plank





Metal (Aluminum) Inlay Design

Full-View Design

STYLE AND CONSTRUCTION

- 4-layer composite faux-wood doors with Intellicore® polyurethane insulation.
- Plank design: 20.4 R-value.
- Metal Inlay design: 18.4 R-value.
- Full-View design: 6.3 R-value.
- Multiple window configurations available for Plank doors.
- Insulated glass styles include clear, frosted, rain and obscure. See page 16 for details.

Calculated door section R-value is in accordance with DASMA TDS-163. Weighted average calculations using insulated glass windows in all sections, all panels. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

WINDOWS

Available only on Plank door designs.





14" × 6"

 $35" \times 6"$

Both window sizes are available on single car and double car doors.

PLANK WINDOW CONFIGURATIONS





14" × 6" Windows down right side

35" × 6" Windows in all panel locations

Note: Configurations are illustrated from outside garage. When ordering, window locations are identified from inside garage looking out. Please keep in mind to avoid ordering windows in wrong location.

WARRANTIES






MATERIAL DESIGN OPTIONS

PLANK CLADDING











FULL-VIEW OVERLAY



Clear Cypress (C)

Mahogany (M)

COLORS



















Natural Finish Medium Finish



Dark Finish Walnut Finish

Slate Finish

Bronze Finish*


Charcoal Finish*

Espresso Finish Black Finish*





(No Finish)





CANYON RIDGE® Elements

The introductory model in our top-selling line of faux-wood carriage house doors, Canyon Ridge® Elements pairs moisture-resistant composite overlays featuring clean, square "Shaker" edges and durable, insulated steel to give you the look of painted wood without the upkeep. Choose from 13 designs in six finishes including dramatic dark colors like Charcoal, Black and Bronze.




- COMPOSITE OVERLAY
- STEEL
- BONDED POLYSTYRENE INSULATION
- 4 STEEL


- 4-layer, steel and composite overlay doors with 1-3/8" bonded polystyrene insulation. 6.5 R-value.
- Glass options include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".


DOOR DESIGNS







SERIES 2







MATERIAL DETAIL



Woodgrain Classic surface texture on steel base and composite overlay.

COLORS

Design 35



Two-tone doors are available. To see all options go to: <u>ezdoor.clopay.com</u>. Due to the printing process, colors may vary. Order free color samples at <u>clopaydoor.com/requestcolorsamples</u>.


WARRANTIES







WINDOWS/TOP SECTIONS



SPECIALTY GLASS









Frosted



Seeded*



Obscure



Rain


*Seeded is not available on Canyon Ridge® Modern window options.

Canyon Ridge® Elements is not available with insulated glass options.

Additional charges for optional glass apply.

DECORATIVE HARDWARE

Attractive black powder coated handles and step plates are provided standard to further enhance the Canyon Ridge® Design. Optional decorative hardware — including handles, operable L-keylocks and strap hinges, is also available.



(Modern)



Ring Door

Knocker

Decorative Handles

with Keyhole

CUSTOM PAINT PROGRAM

and Dark Bronze (Anodized).

Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

Bronze (Painted), Bronze (Anodized), Black (Anodized)









DESIGNING YOUR DOOR

Use the information below to select the appropriate model number.

CANYON RIDGE® CARRIAGE HOUSE 5-LAYER

Canyon Ridge Door Thickness

Cladding Overlay Material Material

Window Design/Top Section

CANYON RIDGE® CARRIAGE HOUSE 4-LAYER

Canvon Ridge Door Thickness

(Does Not

Material

Window Design/Ton Section

CANYON RIDGE® ELEMENTS

Canvon Ridge Door Thickness

Design

Overlay Material

Window Design/Top Section

CANYON RIDGE® CHEVRON

Canyon Ridge Door Thickness

Window Design/ Ton Section

CANYON RIDGE® LOUVER

Canyon Ridge Door

Insulation Thickness

Window Design/Top Section

CANYON RIDGE® MODERN

PLANK DESIGN

Canyon Ridge Door Insulation Thickness

Cladding Material

Design

6

METAL (ALUMINUM) INLAY DESIGN

FULL-VIEW DESIGN

Canyon Ridge Door

Design

ORDERING CODE KEY TERMS:

2 = 2" Polyurethane Insulation

1 = 1-3/8" Polystyrene Insulation

C = Clear Cypress

M = Mahogany

N = No Cladding

RS = Woodgrain Classic

L = Louver Mahogany

DESIGN CONSIDERATIONS

- Two-tone color options available. To view all options, visit: ezdoor.clopay.com.
- Custom designs available. See your Clopay Dealer for more information.
- Attractive beveled edge, clip-in window grilles are removable for easy cleaning.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 10-ball nylon rollers for quiet operation.
- Heavy-duty 14 gauge steel hinges for long-lasting performance.
- Clopay's Safe-T-Bracket® prevents serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- WindCode® built-in door reinforcement available for high wind load applications. Learn more at: www.clopaydoor.com/residential/windcode-residential-information.
- Canyon Ridge® garage doors are not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

FINISHING AND CARE

Proper care and maintenance are imperative for long-term performance and appearance of Canyon Ridge® garage doors. Periodic inspection and maintenance of the composite cladding and overlays are required. Minor expansion and contraction is normal for exterior building materials exposed to direct sunlight and is not considered a defect. Complete finishing and maintenance instructions are provided with the door and are also available from your Clopay Dealer or online at www.clopaydoor.com.

ENVIRONMENTAL ASSURANCE

Clopay doors are compliant with environmental laws and regulations and do not contain HFCs.

- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations
- Product complies with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2)



Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

















